

Canine CRP Literature

Reviews

Heilmann RM, Steiner JM.

[Clinical utility of currently available biomarkers in inflammatory enteropathies of dogs.](#)

J Vet Intern Med. 2018 Sep;32(5):1495-1508. [Open access](#)

PMID: 30222209

Eckersall PD, Bell R.

[Acute phase proteins: Biomarkers of infection and inflammation in veterinary medicine.](#)

Vet J. 2010 Jul;185(1):23-7. doi: 10.1016/j.tvjl.2010.04.009. Epub 2010 Jun 2.

PMID: 20621712

Ceron JJ, Eckersall PD, Martínez-Subiela S.

[Acute phase proteins in dogs and cats: current knowledge and future perspectives.](#)

Vet Clin Pathol. 2005 Jun;34(2):85-99.

PMID: 15902658

Canine CRP studies

Kurabayashi T, Shimada T, Matsumoto M, Kawato K, Honjyo T, Fukuyama M, Yamamoto Y, Yamamoto S.

[Determination of serum C-reactive protein \(CRP\) in healthy beagle dogs of various ages and pregnant beagle dogs.](#)

Exp Anim. 2003 Oct;52(5):387-90. [Open access](#)

PMID: 14625403

Yamamoto S, Tagata K, Nagahata H, Ishikawa Y, Morimatsu M, Naiki M.

[Isolation of canine C-reactive protein and characterization of its properties.](#)

Vet Immunol Immunopathol. 1992 Jan 31;30(4):329-39.

PMID: 1372136

Bacterial infections

Venco L, Bertazzolo W, Giordano G, Paltrinieri S.

[Evaluation of C-reactive protein as a clinical biomarker in naturally heartworm-infected dogs: a field study.](#)

Vet Parasitol. 2014 Nov 15;206(1-2):48-54. Epub 2014 Sep 1.

PMID: 25218887

Viitanen SJ, Laurila HP, Lilja-Maula LI, Melamies MA, Rantala M, Rajamäki MM.

[Serum C-reactive protein as a diagnostic biomarker in dogs with bacterial respiratory diseases.](#)

J Vet Intern Med. 2014 Jan-Feb;28(1):84-91. [Open access](#)

PMID: 24351049

Matijatko V, Mrljak V, Kis I, Kucer N, Forsek J, Zivcjak T, Romić Z, Simec Z, Ceron JJ.

[Evidence of an acute phase response in dogs naturally infected with Babesia canis.](#)

Vet Parasitol. 2007 Mar 31;144(3-4):242-50.

PMID: 17116368

Yamamoto S, Shida T, Honda M, Ashida Y, Rikihisa Y, Odakura M, Hayashi S, Nomura M, Isayama Y.

[Serum C-reactive protein and immune responses in dogs inoculated with Bordetella bronchiseptica \(phase I cells\).](#)

Vet Res Commun. 1994;18(5):347-57.

PMID: 7863606

Surgery

Kanno N, Hayakawa N, Suzuki S, Harada Y, Yogo T, Hara Y.

[Changes in canine C-reactive protein levels following orthopaedic surgery: a prospective study.](#)

Acta Vet Scand. 2019 Jul 1;61(1):33. **Open access**

PMID: 31262326

Löfqvist K, Kjelgaard-Hansen M, Nielsen MBM.

[Usefulness of C-reactive protein and serum amyloid A in early detection of postoperative infectious complications to tibial plateau leveling osteotomy in dogs.](#)

Acta Vet Scand. 2018 May 21;60(1):30. **Open access**

PMID: 29784055

Christensen MB, Eriksen T, Kjelgaard-Hansen M.

[C-reactive protein: quantitative marker of surgical trauma and post-surgical complications in dogs: a systematic review.](#)

Acta Vet Scand. 2015 Oct 20;57:71. **Open access**

PMID: 26483038

Dabrowski R, Kostro K, Lisiecka U, Szczubiał M, Krakowski L.

[Usefulness of C-reactive protein, serum amyloid A component, and haptoglobin determinations in bitches with pyometra for monitoring early post-ovariectomy complications.](#)

Theriogenology. 2009 Sep 1;72(4):471-6.

PMID: 19477501

Caspi D, Baltz ML, Snel F, Gruys E, Niv D, Batt RM, Munn EA, Buttress N, Pepys MB.

[Isolation and characterization of C-reactive protein from the dog.](#)

Immunology. 1984 Oct;53(2):307-13. **Open access**

PMID: 6490086

Yamamoto S, Shida T, Miyaji S, Santsuka H, Fujise H, Mukawa K, Furukawa E, Nagae T, Naiki M.

[Changes in serum C-reactive protein levels in dogs with various disorders and surgical traumas.](#)

Vet Res Commun. 1993;17(2):85-93.

PMID: 8212527

Systemic inflammatory response syndrome (SIRS)

Gommeren K, Desmas I, Garcia A, Bauer N, Moritz A, Roth J, Peeters D.

[Inflammatory cytokine and C-reactive protein concentrations in dogs with systemic inflammatory response syndrome.](#)

J Vet Emerg Crit Care (San Antonio). 2018 Jan;28(1):9-19.

PMID: 29236338

Torrente C, Manzanilla EG, Bosch L, Fresno L, Rivera Del Alamo M, Andaluz A, Saco Y, Ruiz de Gopegui R.

[Plasma iron, C-reactive protein, albumin, and plasma fibrinogen concentrations in dogs with systemic inflammatory response syndrome.](#)

J Vet Emerg Crit Care (San Antonio). 2015 Sep-Oct;25(5):611-9.

PMID: 26172578

Gebhardt C, Hirschberger J, Rau S, Arndt G, Krainer K, Schweigert FJ, Brunnberg L, Kaspers B, Kohn B.

[Use of C-reactive protein to predict outcome in dogs with systemic inflammatory response syndrome or sepsis.](#)

J Vet Emerg Crit Care (San Antonio). 2009 Oct;19(5):450-8.

PMID: 19821886

Inflammatory Bowel Disease (IBD)

Tamura Y, Ohta H, Kagawa Y, Osuga T, Morishita K, Sasaki N, Takiguchi M.

[Plasma amino acid profiles in dogs with inflammatory bowel disease.](#)

J Vet Intern Med. 2019 Jul;33(4):1602-1607. **Open access**

PMID: 31111561

Jergens AE, Schreiner CA, Frank DE, Niyo Y, Ahrens FE, Eckersall PD, Benson TJ, Evans R.

[A scoring index for disease activity in canine inflammatory bowel disease.](#)

J Vet Intern Med. 2003 May-Jun;17(3):291-7. **Open access**

PMID: 12774968

Arthritis

Hillström A, Bylin J, Hagman R, Björhall K, Tvedten H, Königsson K, Fall T, Kjelgaard-Hansen M.

[Measurement of serum C-reactive protein concentration for discriminating between suppurative arthritis and osteoarthritis in dogs.](#)

BMC Vet Res. 2016 Oct 28;12(1):240. **Open access**

PMID: 27793205

Ohno K, Yokoyama Y, Nakashima K, Setoguchi A, Fujino Y, Tsujimoto H.

[C-reactive protein concentration in canine idiopathic polyarthritis.](#)

J Vet Med Sci. 2006 Dec;68(12):1275-9. **Open access**

PMID: 17213695

Kjelgaard-Hansen M, Jensen AL, Houser GA, Jessen LR, Kristensen AT.

[Use of serum C-reactive protein as an early marker of inflammatory activity in canine type II immune-mediated polyarthritis: case report.](#)

Acta Vet Scand. 2006 Jun 21;48:9. **Open access**

PMID: 16987405

Acute pancreatitis

Sato T, Ohno K, Tamamoto T, Oishi M, Kanemoto H, Fukushima K, Goto-Koshino Y, Takahashi M, Tsujimoto H.

[Assesment of severity and changes in C-reactive protein concentration and various biomarkers in dogs with pancreatitis.](#)

J Vet Med Sci. 2017 Jan 20;79(1):35-40. **Open access**

PMID: 27666150

Yuki M, Hirano T, Nagata N, Kitano S, Imataka K, Tawada R, Shimada R, Ogawa M.

[Clinical Utility of Diagnostic Laboratory Tests in Dogs with Acute Pancreatitis: A Retrospective Investigation in a Primary Care Hospital.](#)

J Vet Intern Med. 2016 Jan-Feb;30(1):116-22. **Open access**

PMID: 26586203

Mansfield CS, James FE, Robertson ID.

[Development of a clinical severity index for dogs with acute pancreatitis.](#)

J Am Vet Med Assoc. 2008 Sep 15;233(6):936-44.

PMID: 18795856

Nakamura M, Takahashi M, Ohno K, Koshino A, Nakashima K, Setoguchi A, Fujino Y, Tsujimoto H.

[C-reactive protein concentration in dogs with various diseases.](#)

J Vet Med Sci. 2008 Feb;70(2):127-31. **Open access**

PMID: 18319571

Steroid-responsive meningitis arteritis (SRMA)

Lowrie M, Penderis J, Eckersall PD, McLaughlin M, Mellor D, Anderson TJ.

[The role of acute phase proteins in diagnosis and management of steroid-responsive meningitis arteritis in dogs.](#)

Vet J. 2009 Oct;182(1):125-30.

PMID: 18590973

Bathen-Noethen A, Carlson R, Menzel D, Mischke R, Tipold A.

[Concentrations of acute-phase proteins in dogs with steroid responsive meningitis-arteritis.](#)

J Vet Intern Med. 2008 Sep-Oct;22(5):1149-56. **Open access**

PMID: 18691368

Neoplasia

Lisiecka U, Dudek K, Brodzki A, Kostro K, Czop M, Brodzki P.

[Evaluation of Serum Acute Phase Protein Concentrations in Dogs with Circumanal Gland Tumours.](#)

J Comp Pathol. 2019 Aug;171:12-18.

PMID: 31540620

Ryu MO, Kim BG, Choi US, Baek KH, Song YK, Li Q, Seo KW, Ryeom S, Youn HY, Bhang DH.

[Extracellular cyclic adenosine monophosphate-dependent protein kinase A autoantibody and C-reactive protein as serum biomarkers for diagnosis of cancer in dogs.](#)

Vet Comp Oncol. 2019 Mar;17(1):99-106. **Open access**

PMID: 30411459

Nielsen L, Toft N, Eckersall PD, Mellor DJ, Morris JS.

[Serum C-reactive protein concentration as an indicator of remission status in dogs with multicentric lymphoma.](#)

J Vet Intern Med. 2007 Nov-Dec;21(6):1231-6. **Open access**

PMID: 18196731

Tecles F, Spiranelli E, Bonfanti U, Cerón JJ, Paltrinieri S.

[Preliminary studies of serum acute-phase protein concentrations in hematologic and neoplastic diseases of the dog.](#)

J Vet Intern Med. 2005 Nov-Dec;19(6):865-70. **Open access**

PMID: 16355682

Autoimmune hemolytic anemia

Mitchell KD, Kruth SA, Wood RD, Jefferson B.

[Serum acute phase protein concentrations in dogs with autoimmune hemolytic anemia.](#)

J Vet Intern Med. 2009 May-Jun;23(3):585-91. **Open access**

PMID: 19298608

Acute abdomen syndrome

Galezowski AM, Snead EC, Kidney BA, Jackson ML.

[C-reactive protein as a prognostic indicator in dogs with acute abdomen syndrome.](#)

J Vet Diagn Invest. 2010 May;22(3):395-401.

PMID: 20453213

Leptospirosis

Buser FC, Schweighauser A, Im Hof-Gut M, Bigler B, Marti E, Mirkovitch J, Francke T

[Evaluation of C-reactive protein and its kinetics as a prognostic indicator in canine leptospirosis.](#)

J Small Anim Pract. 2019 Aug;60(8):477-485

PMID: 31006872